COASTAL BIFOLDING 100 SHUTTER SYSTEM

Bifolding Shutter System for Doors & Windows

Louvretec Bifold Doors effortlessly slide open with panels following suit, neatly stacking against the wall

Coastal Bifolding 100

Designed around a maximum panel weight of 100kg

Top Hung

All Coastal Series bifolds are top hung.

As multi-panel bifolds can load considerable weight to the top track suitable fixing at the head is essential - please contact Louvretec for specific weight loadings.

Transom

A transom is standard on all Coastal Bifolds.

Shutter Weight

Calculating the weight of a bifolding louvered shutter allow 12-14 kg per sqm. This includes louvres, outer frame mullions and transom.

Mix & Match


The same options that are available to our sliding shutters are available to our bifold shutters - these being the KISS Pivot and End Fixed.



BIFOLDING DOORS, BAY OF PLENTY, NZ



BIFOLDING DOORS, AUCKLAND, NZ



TYPICAL TOP HUNG DETAILS




TWO PANEL BIFOLD DOORS



FOUR PANEL BIFOLD DOORS



©Louvretec 2025 - All Rights Reserved. Technical specifications subject to change without notice.



COASTAL BIFOLDING 100 DOORS

External Shutters

Coastal Bifolding 100 Shutters are designed for windows and door panels weighing up to a maximum finished panel weight of up to 100kg.

Typically allow 12-14kg per sqm when calculating weight of a Bifold panel.

Maximum panel size 3300mm (h) x 900mm (w)



NORTHLAND, NZ




COASTAL 100: 4 PANEL BIFOLDING DOOR WITH 90MM LOUVRE INFILLS




MAXIMUM PANEL SIZE: 3300X900 MAXIMUM PANEL WEIGHT: 100KGS

TYPICAL DETAIL: COASTAL BIFOLD 100 DOORS

150MM KISS PIVOT & END FIXED







kiss pivot 150mm

end fixed 150mm

95MM BELLA VISTA KISS PIVOT & END FIXED



95MM BELLA VISTA HEAVY KISS PIVOT & END FIXED



kiss pivot Bella Vista heavy

end fixed Bella Vista heavy



| 12.25

 SCALE:
 DATE MODIFIED: 01/10/2024
 FILE:
 SHUTTERS 12.25

 www.louvretec.con.zu
 www.louvretec.com.au

 ©Louvretec 2025 - All Rights Reserved. Technical specifications subject to change without notice.

ice.